



42

An undisputed design classic, the Princess 42 remains the benchmark motor yacht in her size range. Ideal for family cruising, yet with the space and style for elegant entertaining, the 42 is beautifully constructed and immaculately finished.

Safety is vital in a family yacht and the 42 delivers without compromising her graceful profile. Well proportioned, safe steps link the flybridge, with its flexible U-shaped seating and large sunbed, to the spacious teak-laid cockpit. Impressively wide side decks, with thoughtfully positioned handrails, encourage use of the large foredeck and inspire confidence when moving about on deck.

The lower helm provides exceptional visibility, and the ergonomic layout and advanced instrumentation ensure precise and comfortable handling.

Triple sliding glass doors between saloon and cockpit ensure an airy feel to the interior, accentuated by the large side windows. Practical and stylish design, using light, sensuous fabrics and a lustrous wood finish, further enhances the appeal. A few steps down, the open galley design helps create a pleasing sense of space without compromising on equipment, with a triple gas hob, large fridge-freezer and combination microwave oven, as well as generous storage space.

Below deck, the accommodation again exceeds expectations. Both the tasteful master cabin, with a large hanging wardrobe and bespoke dressing table, and the twin guest cabin have en-suites with generous showers. The saloon sofa can also be converted into an additional bed for occasional guests.

With a large lazarette and storage below the cockpit seat, as well as an easily accessed engine room, the 42 is as practical as she is seductive, capturing the essence of Princess in a timeless and elegant design.












Saloon



▼ LAYOUTS



Flybridge layout



Accommodation layout

PRINCIPAL DIMENSIONS

| | |
|--|---------------------------|
| Length overall (incl. pulpit) | 44ft 3in (13.48m) |
| Length overall (excl. pulpit) | 43ft 5in (13.23m) |
| Beam | 13ft 7in (4.14m) |
| Draft | 3ft 7in (1.09m) |
| Displacement approx. (Twin Volvo 370mhp) | 14 tonnes* |
| Fuel capacity | 300 gallons (1362 litres) |
| Water capacity (incl. calorifier) | 100 gallons (455 litres) |

STANDARD EQUIPMENT

| |
|--|
| 24v DC/240v AC electrical system |
| 240v shore power with 60-amp float battery charger |
| Dual station remote control electric anchor winch |
| Dual station electric trim tabs with indicators |
| Dual station VHF with DSC R/T with intercom |
| Dual station speed and distance log |
| Dual station echo sounder with alarm |

| |
|---|
| Remote control searchlight |
| Combination microwave/conventional oven/grill |
| Cocktail cabinet |
| Flybridge top loading coolbox |
| Electric quietflush toilets |
| Saloon CD/radio linked to flybridge speakers |
| Teak-laid transom platform/cockpit deck/flybridge stairway/ stairs to side decks |
| Flybridge sunbed and cushions |
| Triple opening stainless steel framed saloon doors |
| Transom door |
| Hot and cold transom shower |
| Cockpit night covers |

ENGINE OPTIONS - DIESEL

| | | |
|-------------------|--------------|----------------------------|
| Twin Volvo D6-370 | (2 x 370mhp) | Speed range: 27-29 knots † |
| Twin Volvo D6-435 | (2 x 435mhp) | Speed range: 30-32 knots † |

▼ SPECIFICATION

DECK FITTINGS

- Teak-laid transom platform, cockpit deck, flybridge stairway and stairs to side decks
- Reversible electric anchor winch with foredeck, main helm and flybridge controls
- Self-stowing 16kg Delta anchor with 30 meters of chain
- Stemhead roller with automatic anchor launch and retrieve
- Deck hatch access to chain locker
- Stainless steel bow, stern and spring cleats
- Bow and stern fairleads
- Stainless steel pulpit and guard rails
- Stainless steel coachroof and flybridge handrails
- Foredeck hatch
- Stainless steel rubbing band with rubber insert
- Full set of IMCO navigation lights
- Riding light
- Dual station remote control searchlight
- Twin electric horns
- Fuel and water fillers

AFT COCKPIT

- Self-draining
- Upholstered seat with fender and life raft stowage space below
- Cockpit lighting
- Cockpit cover
- Stainless steel handrails
- Gas strut assisted hatch to lazarette stowage area
- Lockable access hatch to engine room
- Overboard vented, self-draining locker for 2 gas bottles
- Transom door leading to integral bathing platform

AFT COCKPIT (CONTINUED)

- Reserve manual bilge pump and controls
- Remote fuel cocks located in locker
- Full-length transom bathing platform with foldaway swimming ladder, hot and cold shower, teak decking, storage compartment and dinghy storage removable chock system
- 220/240v shore support inlet and cable stowage locker

FLYBRIDGE

- Dual station instrument controls (see Lower Helm Position)
- Double helm seat with fore and aft adjustment
- U-shaped upholstered sofa with drinks table
- Double sunbed with cushions
- Loudspeakers linked to saloon stereo CD/radio
- Integral stairway from aft cockpit with access hatch
- Wind deflector screens
- Stainless steel handrails
- GRP radar arch
- Console and seat covers
- Matched whip aerials for VHF R/T and radio
- Refrigerated top loading coolbox
- Bilge pump audible alarm

LOWER HELM POSITION

- Twin helm seats with fore and aft adjustment for helmsman
- Twin windscreen wipers with blade-mounted freshwater screen wash system
- Burr elm instrument console with engine instruments and fuel gauges

LOWER HELM POSITION (CONTINUED)

- Dual station instruments and controls at Flybridge and Lower Helm Position:
 - rudder position indicator
 - electronic engine controls
 - visual and audible engine warning system
 - hydraulic steering
 - electric anchor winch remote control
 - trim tab controls with indicators
 - VHF with DSC R/T with intercom to flybridge
 - speed and distance log
 - echo sounder with alarm
 - remote control searchlight
 - high speed magnetic compass
 - horn button
- Bilge pump controls with visual 'pump running' warnings
- 24v and 220/240v electrical control panels
- PVC sunscreens
- Riding light, helm and navigation light control switches
- 12v outlet
- Chart table with light and chart stowage
- Sliding tinted side window adjacent to helmsman
- Stowage under helm seat

DECK SALOON

- U-shaped sofa with dining table to starboard (converts to double berth)
- Moveable 2-seater sofa
- Stereo CD/radio with saloon and exterior speakers
- Sideboard units with glass, bottle and general stowage and space for optional refrigerator

DECK SALOON (CONTINUED)

- Curtains, venetian blinds or sunscreens to all windows and doors
- Tinted opening side windows
- Overhead lighting
- Triple stainless steel framed sliding doors to cockpit
- Clock with barometer

GALLEY

- Avonite (or similar) worktop
- Recessed 3-zone gas hob with flame-failure protection and cover
- Extractor fan
- Combination microwave/conventional oven with grill
- Twin-bowl stainless steel sink with mixer tap
- Chopping board
- 24v/240v fridge/freezer
- Waste disposal bin
- Overhead lighting
- Dedicated crockery and cutlery stowage
- General storage cupboards
- Sliding tinted window

ACCOMMODATION

- All cabins feature opening portholes and 240v power points
- All bathrooms feature electric quietflush toilets and 240v shaver points

OWNER'S SUITE

- Large double bed with drawers below
- Large wardrobe
- Forward mirror
- Dressing table with mirror
- Cupboard with shelves
- Overhead lighting and individual berth lights
- Deck hatch with flyscreen and blind

OWNER'S SUITE (CONTINUED)**Owner's en-suite shower/WC:**

- Washbasin with mixer tap
- Separate shower area with automatic pump-out
- Extractor fan
- WC roll holder
- Glass holder
- Soap dish in shower
- Towel ring
- Mirror
- Storage locker

GUEST SUITE

- Two full-size single berths
- Wardrobe with shelf space
- Storage lockers
- Overhead lighting and individual berth lights

Guest en-suite shower/WC:

- Washbasin with mixer tap
- Shower area with automatic pump-out
- Extractor fan
- WC roll holder
- Glass holder
- Soap dish in shower
- Towel ring
- Mirror
- Storage lockers
- Separate access to passageway

POWER AND DRIVE SYSTEMS

- 4-bladed propellers in nickel aluminium bronze
- Engine room lighting
- Hydraulic steering system
- Lockable access hatch and ladder from cockpit to engine room
- Trim tabs with indicators

POWER AND DRIVE SYSTEMS (CONTINUED)

- Electronic engine and gear shift controls
- Engine room extractor fan with electronic time delay

ELECTRICAL SYSTEMS**24 Volt:**

- 2 x heavy-duty batteries for engine starting
- 4 x heavy-duty auxiliary batteries
- Battery link facility with remote control at helm position
- Both battery banks are charged using a voltage sensitive relay that parallels both battery banks when a charging source is present
- 60-amp 24v float battery charger
- Remote battery master switches with control switch at main switch panel
- Circuit breakers on all circuits
- 24v to 12v voltage dropper on certain navigation and radio circuits

220/240 Volt:

- Shore support inlet in cockpit locker with storage for cable
- Polarity check system
- Earth leakage safety trip
- Circuit breakers on all circuits
- Power points (240v) in:
 - ▶ owner's suite
 - ▶ guest suite
 - ▶ galley
 - ▶ saloon
- Shaver points in both bathrooms

FUEL SYSTEM

- Twin fuel tanks (in NS8 marine grade alloy) with interconnection system giving 300 gallons (1362 litres) capacity
- Fuel fillers on port and starboard side decks
- High-capacity fuel filters/water traps
- Remote fuel cock controls in cockpit locker
- Fuel gauges at lower helm position

WATER SYSTEM

- Water tank of 93 gallons (423 litres) plus 7 gallons (32 litres) hot water calorifier (total 100 gallons/455 litres)
- Water heated by engine and 240v immersion heater
- Automatic water pump with filter
- Main circuit breaker at switch panel
- Water level gauge
- Deck filler

FIRE EXTINGUISHERS

- Automatic/manual override fire extinguishers in engine room with warning system at Flybridge and Lower Helm Position
- Hand-operated fire extinguishers (3) in:
 - ▶ owner's suite
 - ▶ guest suite
 - ▶ galley

BILGE PUMPS

- Automatic electric bilge pumps (with manual override) in:
 - ▶ engine room
 - ▶ forward accommodation
 - ▶ aft lazarette (4 in all)
- High-capacity manual bilge pump with valve system and suction points in same areas

OTHER ITEMS SUPPLIED AS STANDARD

- Fenders (4) and warps (4)
- Ensign staff
- First aid kit
- Boathook
- Owner's manual and engine manual
- Quilted bedspreads for beds in all cabins
- Tool kit
- Emergency tiller
- Emergency porthole cover
- Manual winch handle
- Ship's document case
- Cockpit night covers

PRINCESS DISTRIBUTORS



Our extensive network of distributors spreads worldwide, providing years of experience, knowledge and expertise.

To own a Princess is a wonderful experience and our sole aim is to help make your choice and ownership even more pleasurable.

Please contact any of our offices for further information on the Princess range of V Class Sports Yachts and Flybridge Motor Yachts.

Address details can be found on our website

www.princessyachts.com

NORTH AMERICA

Canada
Caribbean
Mexico
USA

SOUTH AMERICA

Argentina
Brazil
Chile
Colombia
Ecuador
Peru
Uruguay
Venezuela

EUROPE

Austria
Belgium
Bulgaria
Croatia
Cyprus
Czech Republic
Denmark
Eire
Estonia
Finland
France
Germany
Gibraltar
Greece
Holland

EUROPE

Hungary
Italy
Kazakhstan
Latvia
Lithuania
Malta
Monaco
Norway
Poland
Portugal
Romania
Russia
Serbia, Montenegro,
Bosnia and
Herzegovina
Slovakian Republic
Slovenia
Spain
Sweden
Switzerland
The Balearics
Turkey
Ukraine
United Kingdom

MIDDLE EAST

Azerbaijan
Bahrain
Israel
Jordan
Kuwait

MIDDLE EAST

Lebanon
Oman
Qatar
Saudi Arabia
Syria
United Arab Emirates

AFRICA

Algeria
Egypt
Mauritius
Nigeria
South Africa
Tunisia

ASIA

China
Hong Kong
India
Indonesia
Japan
Malaysia
Maldives
Philippines
Singapore
S. Korea
Thailand
Vietnam

PACIFIC RIM

Australia
New Zealand